

EN685 PLASTIC SAFE GRAFFITI REMOVER

Page: 1

Compilation date: 03/06/2015

Revision date: 16/12/2022

Revision No: 3

## Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: EN685 PLASTIC SAFE GRAFFITI REMOVER

Product code: T1515

1.2. Relevant identified uses of the substance or mixture and uses advised against

### 1.3. Details of the supplier of the safety data sheet

Company name: Bio8 Industrial Ltd

McGregors Way Hasland Chesterfield S40 2WB UK Tel: 01246 733196 Fax: 01246 733196 Email: info@bio8.co.uk

**1.4.** Emergency telephone number

Emergency tel: 01246 733196

(office hours only)

### Section 2: Hazards identification

2.1. Classification of the substance or mixture

2.2. Label elements

Classification under CLP: This product has no classification under CLP.

Label elements:

Precautionary statements: P280: Wear protective gloves/protective clothing/eye protection/face protection.

Haz. ingredients (label): (2-METHOXYMETHYLETHOXY)PROPANOL; PROPAN-2-OL

2.3. Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

### EN685 PLASTIC SAFE GRAFFITI REMOVER

### Hazardous ingredients:

### (2-METHOXYMETHYLETHOXY)PROPANOL - REACH registered number(s): 01-2119450011-60

EINECS	CAS	PBT / WEL	CLP Classification	Percent
252-104-2	34590-94-8	Substance with a Community	-	70-90%
		workplace exposure limit.		

### PROPAN-2-OL

200-661-7	67-63-0	-	Flam. Liq. 2: H225; Eye Irrit. 2: H319;	1-3%
			STOT SE 3: H336	

## Section 4: First aid measures

4.1. Description of first aid measures
Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash
 immediately with plenty of soap and water.
Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.
Ingestion: Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of
 water to drink immediately. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so.

### 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

**Ingestion:** There may be vomiting and diarrhoea. The casualty may appear intoxicated.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

# Section 5: Fire-fighting measures

### 5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

## Section 6: Accidental release measures

Page: 2

#### EN685 PLASTIC SAFE GRAFFITI REMOVER

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-

side up to prevent the escape of liquid.

## 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

#### 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

### 7.2. Conditions for safe storage, including any incompatibilities

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No data available.

### Section 8: Exposure controls/personal protection

8.1. Control parameters

#### Hazardous ingredients:

### (2-METHOXYMETHYLETHOXY)PROPANOL

Workplace exposure limits:			Respirable dust:		
State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL	
UK	50ppm(sk)	-	-	-	

#### PROPAN-2-OL

UK 999 mg/m3 1250 mg/m3	
-------------------------	--

**DNEL/PNEC** Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Protective gloves.

Eye protection: Ensure eye bath is to hand. Safety glasses with side-shields.

Skin protection: Protective clothing.

#### EN685 PLASTIC SAFE GRAFFITI REMOVER

Page: 4

Section 9: Physical and chemical pr	operties	
9.1. Information on basic phys	ical and chemical properties	
State:	Liquid	
Colour:	Colourless	
Odour:	Characteristic odour	
Evaporation rate:	Slow	
Oxidising:	Not applicable.	
Solubility in water:	Soluble	
Also soluble in:	Most organic solvents.	
Viscosity:	Non-viscous	
Boiling point/range°C:	>100 Melting point/range°C:	<0
Flammability limits %: lower:	No data available. upper:	No data available.
Flash point°C:	>65 Part.coeff. n-octanol/water:	No data available.
Autoflammability°C:	>200 Vapour pressure:	No data available.
Relative density:	0.970 <b>pH</b> :	Not applicable.
VOC g/l:	Not applicable.	

9.2. Other information

**Other information:** No data available.

## Section 10: Stability and reactivity

10.1. Reactivity

10.2. Chemical stability

**Reactivity:** Stable under recommended transport or storage conditions.

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat. Hot surfaces. Flames.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

**10.6.** Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

### EN685 PLASTIC SAFE GRAFFITI REMOVER

Page: 5

### Hazardous ingredients:

## (2-METHOXYMETHYLETHOXY)PROPANOL

DERMAL	RBT	LD50	9150	mg/kg
ORAL	RAT	LD50	>5000	mg/kg

### PROPAN-2-OL

ORAL	RAT	LD50	5045	mg/kg
VAPOURS	RAT	4H LC50	10000	ppmV

Toxicity values: No data available.

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be vomiting and diarrhoea. The casualty may appear intoxicated.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

# Section 12: Ecological information

12.1. Toxicity

### Hazardous ingredients:

### (2-METHOXYMETHYLETHOXY)PROPANOL

DAPHNIA	48H EC50	1919	mg/l
FISH	96H LC50	>1000	mg/l
GREEN ALGA (Selenastrum capricornutum)	96H ErC50	>969	mg/l

### 12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil. Soluble in water.

#### 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

#### EN685 PLASTIC SAFE GRAFFITI REMOVER

### 13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

### **Section 14: Transport information**

Transport class: This product does not require a classification for transport.

### Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.2. Chemical Safety Assessment

**Section 16: Other information** 

### **Other information**

Specific regulations: Not applicable.

Other information: This safety data sheet is prepared in accordance with Regulation (EC) No 1907/2006 as

amended by UK SI 2021/904

\* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H225: Highly flammable liquid and vapour.

H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.